

Ref. 2121 CONSTRUCTION, ROOFS, PLATFORMS

An innovative lightweight fall arrest harness that has been specifically designed to improve comfort and reduce the effects of suspension trauma in the event of a fall.

Equipped with special loops for connecting the Helpstep foot loops (ref.2062, sold separately) to further help prevent suspension trauma in the event of a fall.

2 reinforced webbing attachment points for fall arrest: 1 sternal double textile loop and 1 dorsal. Steel components. Equipped with NFCTRACK tag for digital identification. 2 sizes.





Ref.	Product name	Size	Weight		Chest on A	Legs cm	Height cm	CE	ERC	Attachment points
			g	oz	A (cm)	C (cm)	D (cm)	EN 361		
2121	QUANTUM	S-L	900	31.8	80-120	45-65	55-75	•		
		L-XXL	950	33.5	90-140	55-75	65-85			



## **QUANTUM**FULL BODY HARNESS

Ref. 2121 CONSTRUCTION, ROOFS, PLATFORMS

- Polyester main webbing width 44 mm.
- Quick adjustment chest buckles made of carbon steel.
- CE label including serial number
- "A/2" front attachment point for fall-arrest. Made with a doublelayer of webbing.
- Sternal plastic buckle
- **6** New construction with movable side junctions improves suspension comfort.
- Patented "Sicura" quick adjustment buckles
- ② Leg-loops padding. Thickness 6mm. Inside layer made of breathable 3D mesh
- Polyamide leg-loops webbings Width 25mm
- O Back padding. Thickness 3mm. Inside layer made of breathable 3D mesh.
- **11** "A" back attachment point for fall-arrest. Made with a double layer of webbing.
- Central webbing for belt support.
- **1** Loops for the installation of "HelpStep" suspension trauma straps ref.2062.
- Elastic back webbing.
- **6** Leg-loops back webbings. Elastic and adjustable.
- **6** Webbing keepers for the size adjustment of leg-loops padding.
- **©** Equipped with NFC TRACK tag for digital identification.







### NFC Track | G.T.S.

C.A.M.P. presents in this catalog a **complete solution for the digital management of PPE**, both for allocation to users and for periodic inspections: the **NFC TRACK hardware tags on the products** work seamlessly with the **G.T.S. - Gear Tracking System software** to make the system very intuitive and easy to use.



3/3

**NFC TRACK chips are installed on many C.A.M.P. products** (harnesses, helmets, Retexo lanyards). They **can also be attached directly on any PPE** by the user, so that the user can assign the PPE data to the chip by means of the C.A.M.P. G.T.S.

**NFC (Near Field Communication) technology** is now present on most smartphones and used every day for smart payments. Today, it also represents the future for the individual identification of products.

The **HF RFID** (High Frequency Radio Frequency Identification) communication system on which NFC is based allows the C.A.M.P. NFC TRACK to be easily read using any latest generation smartphone or for professionals using a PC reader.

# NFC TRACK chip installed!



## -G.T.S.- GEAR TRACKING SYSTEM

G.T.S. allows professionals to easily manage PPE both via the smartphone app (available on Play Store and Apple Store) and from a PC via the web app.

Two different packages allow for carrying out periodic inspections and also for managing the company allocation of PPE to its employees.

The database of **G.T.S.** includes the technical information of all **C.A.M.P.** products for work at height and a large number of other products posted by other users of the community with publicly available information.



